



SEMI REFINED PARAFFIN WAX

Product name	Oil content	Melting Point	Congeeing Point	Color	Odor	Penetration @ 100 °C	Viscosity @ 100 °C
BKSL 1	0.8-1.5%	56-61 °C	55-60 °C	Transparent White	Natural	8-15	4 – 7 cst
BKSH 1	0.8-1.5%	62-68 °C	60-66 °C	White	Natural	8-15	4 – 7 cst
BKSL 3	1-3%	56-60 °C	55-59 °C	White	Natural	10-20	5 – 7 cst
BKSH 3	1-3%	60-66 °C	59-65 °C	Creamy White	Natural	10-20	5 – 7 cst
BKSL 5	3-5%	56-60 °C	55-59 °C	Yellowish White	Natural	15-20	5.5 – 7 cst
BKSH 5	3-5%	60-66 °C	59-65 °C	Yellowish White	Natural	15-20	5.5 – 7 cst
BKSL 7	5-7%	56-60 °C	55-59 °C	Yellowish	Natural	20-30	4 – 7 cst
BKSH 7	5-7%	60-66 °C	59-65 °C	Yellowish	Natural	20-30	4 – 7 cst